

CADDY 500

By I+D+i Actiu



**AGI
LE**

A line of light and versatile mobile supports that allow the space to be divided into different zones, creating ephemeral micro architectures. In addition to improving the flexibility of the work area, Caddy 500 can integrate interactive whiteboards and screens, increasing the operability of the caddy. Complementary accessories such as decorative trays are also available. The possibility of incorporating an upholstered finish favours its sound-absorbent quality and greater acoustic privacy. At the same time, the wheels with brakes ensure mobility and stability.




ACTIU

www.actiu.com

Design goes beyond aesthetics: innovation, space and furniture go hand in hand to create environments that are friendlier, more comfortable and more motivating for people: environments that are more dynamic, fresh, creative, ergonomic and functional.

A business philosophy in which design is part of our DNA, as we apply it to every facet of the company: products, architecture, projects, brand, communication, work spaces.




Model	TECH MODEL		CLASS MODEL	
Structure	<ul style="list-style-type: none"> Structure made of steel profile 2 mm thick and 7 cm wide. Outer profile made of extruded aluminium 2 mm thick and 7 cm wide. Easy installation and removal. Finished in white or black. Fixing points for monitors according to VESA 200, 300 and 400: <ul style="list-style-type: none"> The positioning of the monitor can be done in 4 different positions with a range of 2,5 cm per position (Total: 10cm). Height of the centre of the monitor from the floor: <ul style="list-style-type: none"> min: 125 cm / max: 135 cm Cable grommet integrated in the lower profile of the frame. 		<ul style="list-style-type: none"> Structure made of steel profile 2 mm thick and 7 cm wide. Outer profile made of extruded aluminium 2 mm thick and 7 cm wide. Easy installation and removal. Finished in white or black. 	
Technical characteristics				
Base	Injection-moulded aluminium feet in black and white finish coated with epoxy paint.			
Support	Black 65 mm diameter wheels, 2 with brake and 2 without brake.			
Surfaces	Front and rear panels made of different materials to suit different needs.			
Technical characteristics	<ul style="list-style-type: none"> 10 mm thick melamine panels in different finishes. Laminate panels (HPL) in white, suitable for direct writing with dry-erase marker pens. 10 mm melamine panels upholstered in different finishes and colours, plus 2 mm foam. Integrated cable grommet in front panel. Inner fixing points for PC (according to VESA 75 and 100). 		<ul style="list-style-type: none"> 10 mm thick melamine panels in different finishes. Laminate panels (HPL) in white, suitable for direct writing with dry-erase marker pens. 10 mm melamine panels upholstered in different finishes and colours, plus 2 mm foam. 	
Connection system	<ul style="list-style-type: none"> POWERFRAME WITHOUT DEDICATED PC <ul style="list-style-type: none"> Powerframe with one HDMI input + 2 sockets 2 HDMI elbows 4 adhesive cable holders 1 set of screws 3 power strips <ul style="list-style-type: none"> EU: GX30 + Cable with plug GX21 UK: GX30L + Cable with plug GX21L US: GX30D + Cable with plug GX21 POWERFRAME WITH DEDICATED PC <ul style="list-style-type: none"> Powerframe with 2 USB- 3.0 inputs + one HDMI input + Plug 2 HDMI elbows 2 USB - 3.0 elbows 4 adhesive cable holders 1 set of screws 3 power strips <ul style="list-style-type: none"> EU: GX30 + Cable with plug GX21 UK: GX30L + Cable with plug GX21L US: GX30D + Cable with plug GX21 			
Complements	Optional tray made of hot-rolled sheet steel with a thickness of 0.8 mm available in black and white.			
Dimensions				
Dimensions	<p>Overall dimensions: Height: 1920 mm Width: 1175 mm Depth: 605 mm</p>		<p>Overall dimensions: Height: 1920 mm Width: 1175 mm Depth: 605 mm</p>	

RANGE OF FINISHES

TECH & CLASS MODELS




Structure, base and bowl (complement)




Surfaces


Fabric T - Newport




Fabric T - Newport




Laminate panels (HPL)




Fabric D - Felicity



Fabric M - Step & Step Melange



Fabric A - Synergy



CADDY 500 WITH LAMINATED WRITING SURFACE

White laminated melamine desk-top, suitable for writing directly on it with dry erase markers.



Cleaning the Desk-top

Easily erased and cleaned with a simple dry cloth or rubber, even when the writing has been there for a while.

The use of chemical products for cleaning the desk-top is not recommended.





Markers for Writing

To correctly write on the desk-top, the use of dry erase markers is recommended in order to lengthen the desk desk-top's useful life.












CABLE MANAGEMENT

CADDY WITH POWER FRAME NO CPU
(HDMI + SCHUKO)

CADDY WITH POWER FRAME
WITH CPU (not included)
(HDMI + USB + SCHUKO)



CAPTION

-  HDMI 1 (This cable connects TV to Power frame)
-  HDMI 2 (This cable connects TV to CPU)
-  TV ELECTRICITY (this cable connects TV to electricity)
-  CPU ELECTRICITY (this cable connects CPU to electricity)
-  USB – 2 UDS. (These cables connect CPU with power frame)
-  WEBCAM (This cable connects webcam with CPU)
-  GENERAL ELECTRICITY (This cable connects multiple connector to electricity)
-  CABLE RED (This cable connects CPU to Ethernet point)
-  PF ELECTRICITY (This cable connects power frame to GX30)
-  GX30 (Located where power frame is connected, tv and the CPU electricity, in the panel)
-  POWER FRAME: USB (2ud) + HDMI (1ud) + Shuko (1ud). (Devices are connected outwardly. HDMI of the tv and 2 USB are connected to CPU inwardly).



Materials

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

HIGH
RECYCLED
MATERIALS



Production

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100%
RECYCLABLE
ALUMINIUM, STEEL &
WOOD



Transport

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100%
RECYCLABLE
PACKAGE AND THINNER
FREE



Use

Quality and warranty. Long lasting. Replacements available.

EASY
PACKAGE AND THINNER
FREE



Disposal

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

HIGH
RECYCLED
MATERIALS

Certificates

The different programmes get points in different environmental categories to get the LEED certificate or WELL certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).

<p>The mark of responsible forestry</p>	<p>California 93120 Compliant Formaldehyde Phase 2</p>	<p>EN ISO 14006:2011 ECODESIGN Certificate</p>	<p>UNE-EN ISO 9001:2008 ISO 9001 Certificate</p>	<p>UNE-EN ISO 14001:2004 ISO 14001 Certificate</p>	<p>ACTIU TECHNOLOGY PARK LEED® PLATINUM certified by USGBC Leadership in Energy & Environmental Design</p>	<p>Health & Wellbeing of people through The space</p>
---	--	--	--	--	--	---